

**FOR FLIGHT SIMULATOR USE ONLY**

**BELL  
B206 (CECO)**

**NORMAL CHECKLISTS**

=====  
FLIGHT DECK SAFETY INSPECTION  
=====

ANTI-ICE ..... OFF  
HYDRAULIC SWITCH ..... ON  
CONTROLS ..... CHECKED  
FUEL VALVE ..... OPEN  
ROTOR BRAKE ..... OFF  
CAUTION LIGHTS CB ..... IN  
BEACON ..... OFF  
INSTRUMENT LIGHTS ..... OFF  
POS LIGHTS ..... OFF  
GEN FIELD CB ..... IN  
GEN RESET CB ..... IN  
GENERATOR ..... OFF  
GYRO/ATTITUDE ..... OFF  
AVIONICS ..... OFF  
PITOT HEAT ..... OFF

===== END OF CHECKLIST =====

=====  
BEFORE START UP  
=====

BATTERY . . . . . ON  
WARNING HORN . . . . . MUTE  
PITCH WARNING . . . . . CHECKED  
ANNUNCIATOR . . . . . CHECKED  
TOT WARN LIGHT . . . . . CHECKED

===== END OF CHECKLIST =====

=====  
START UP  
=====

AFT FUEL PUMP CB ..... IN  
FWD FUEL PUMP CB ..... IN  
BEACON ..... ON  
THROTTLE ..... CLOSED  
STARTER ..... ENGAGE

--- N2 REACHING 15% ---

THROTTLE ..... OPEN, SLOWLY  
EGT ..... KEEP IN YELLOW BAND  
OIL TEMP ..... MONITOR

--- ENG OUT EXTINGUISHES ---

STARTER ..... RELEASE

--- NR REACHING 60% ---

THROTTLE ..... OPEN, UNTIL NR 70%

--- NR REACHING 70% ---

--- NR REACHING 70% ---

GENERATOR ..... ON  
THROTTLE ..... CLOSE, IDLE

--- NR REACHING APROX 60% ---

AVIONICS ..... ON  
PITOT HEAT ..... AS REQD  
ANTI-ICE ..... AS REQD  
OIL TEMP ..... STABILIZED  
POS LIGHTS ..... ON  
THROTTLE ..... OPEN, SLOWLY TO 100%

--- NR REACHING 100% ---

GYRO/ATTITUDE ..... ON  
INSTRUMENTS ..... CHECKED

===== END OF CHECKLIST =====

=====  
SHUTDOWN  
=====

- THROTTLE . . . . . CLOSE, IDLE
- ANTI-ICE . . . . . OFF
- TEMPERATURES . . . . . STABILIZED
- THROTTLE . . . . . CLOSED
- FUEL VALVE . . . . . OFF
- GENERATOR . . . . . OFF
- AVIONICS . . . . . OFF
- PITOT HEAT . . . . . OFF
- GYRO/ATTITUDE . . . . . OFF
- POS LIGHTS . . . . . OFF
- AFT FUEL PUMP CB . . . . . OUT
- FWD FUEL PUMP CB . . . . . OUT
- HYDRAULICS . . . . . OFF
- BEACON . . . . . OFF
- BATTERY . . . . . OFF

===== END OF CHECKLIST =====